



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/590,029	08/18/2006	Kenji Sato	8017-1196	4127

466 7590 02/04/2010  
YOUNG & THOMPSON  
209 Madison Street  
Suite 500  
Alexandria, VA 22314

EXAMINER
----------

HAGAN, SEAN P

ART UNIT	PAPER NUMBER
----------	--------------

2828

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

02/04/2010

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

DocketingDept@young-thompson.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/590,029	<b>Applicant(s)</b> SATO ET AL.	
	<b>Examiner</b> SEAN HAGAN	<b>Art Unit</b> 2828	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 05 October 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 12-20 and 22-26 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 12-20 and 22-26 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                    | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. Claims 1 through 11 originally presented for examination. Claims 1 through 11 canceled by preliminary amendment 18 August 2006. Claims 12 through 21 added by preliminary amendment 18 August 2006. Claim 21 cancelled by amendment received 26 November 2007. Claims 12 and 14 amended by amendment received 12 June 2008. Claims 22 through 26 added by amendment received 12 June 2008. Claims 12, 14, and 22 amended by amendment received 19 March 2009. Claims 12 through 20 and 22 through 26 are pending in this application.

### ***Response to Arguments***

2. Applicant's arguments have been fully considered; they are not persuasive.

3. Applicants argue that the limitation "Wherein said electroabsorption optical modulator is of a configuration that satisfies a condition  $L \times B \geq 2000 \mu\text{m} \times \text{Gb/s}$  where L is a length of said electroabsorption optical modulator and B is an operating frequency" is not taught by the prior art. Examiner would like to note that the citation from Tamura et al. ("Ultrafast electroabsorption modulators with traveling-wave electrodes", Lasers and Electro-Optics Society, 2001. LEOS 2001. The 14th Annual Meeting of the IEEE, Vol. 1, 12-13 Nov. 2001 pp. 97-98, hereafter Tamura) indicating pg. 98, col. 1, second full paragraph starting "Figure 5 shows..." is intended as an aid to indicate which portion of the text is being noted, the fact that the citation begins by referring to figure 5 is incidental. As to the limitation, the requirement is that the

Art Unit: 2828

electroabsorption optical modulator satisfies the claimed condition. The prior art electroabsorption modulator clearly satisfies this condition and therefore the limitation is deemed to be met.

4. Applicants argue that since Tamura does not disclose the appropriate range of  $L \times B$ , Tamura fails to enable a low voltage operation and a broader temperature range argued to be present in the present invention. So long as any point in the claimed range is illustrated in the prior art, that prior art renders obvious limitations to that claimed range. Since Tamura teaches the operation of an electroabsorption optical modulator within the claimed range, Tamura is deemed to read upon the limitation. It is not possible for Tamura to teach within the claimed range and fail to enable the inherent properties of that range unless other factors are required before these properties become inherent. Since no other properties have been indicated as required for the argued points, applicant's argument is deemed not persuasive.

5. Applicants appear to argue that the cited prior art does not state that the claimed detuning amount between 40meV and 100meV would be an appropriate range of a detuning amount to achieve a broader temperature range. Examiner's position is that the prior art indicates that the known detuning range may be increased to at least 40meV with expected consequences relating to absorption experienced by the light passing there through and the electrical operation of the device. Since it is known in the art that an increase in temperature decreases the detuning amount; an increased

Art Unit: 2828

detuning amount would be expected to be more insensitive to increases in temperature. The broader temperature range would be an expected consequence of a greater detuning. As such, argument that this feature is not rendered obvious by the prior art is not persuasive.

6. Applicants mention that the limitation "Wherein said prescribed bias voltage applied at a minimum operating temperature is 1 V or less" is not expressly taught in the prior art. The prior rejections note that this feature would have been obvious to one of ordinary skill in the art at the time of invention to select the most preferable driving voltage, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233. The reduced prescribed operating voltage appears to be enabled by the other claimed features and would fall within the optimum or workable ranges of a device according to the claimed invention. So long as all other claimed features are determined to be rendered obvious by the prior art, this feature is determined to also be rendered obvious by the prior art unless there are additional features which are required to enable this operation.

7. As such, all claims are addressed as follows:

***Claim Rejections - 35 USC § 103***

8. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Art Unit: 2828

9. Claims 12, 13, 14, 16, 17, 18, 19, 20, 22, 23, 24, 25, and 26 rejected under 35 U.S.C. 103(a) as being unpatentable over Tamura et al. ("Ultrafast electroabsorption modulators with traveling-wave electrodes", Lasers and Electro-Optics Society, 2001. LEOS 2001. The 14th Annual Meeting of the IEEE, Vol. 1, 12-13 Nov. 2001 pp. 97-98, hereafter Tamura) in view of Koren et al. (Koren, US Patent 5,889,898) and further in view of applicant's admitted prior art (AAPA).

10. **Regarding claim 12**, Tamura discloses, "In which a semiconductor laser and an electroabsorption optical modulator are integrated on a high resistance semiconductor substrate" (pg. 97, col. 2, last paragraph starting "A schematic diagram..."). "Wherein said electroabsorption optical modulator is of a configuration that satisfies a condition  $L \times B \geq 2000 \mu\text{m} \times \text{Gb/s}$  where L is a length of said electroabsorption optical modulator and B is an operating frequency" (pg. 98, col. 1, second full paragraph starting "Figure 5 shows..."). "An absorption peak wavelength of said electroabsorption optical modulator is shorter than an oscillation wavelength of said semiconductor laser" (pg. 97, col. 1, last paragraph starting "This device has..."). Tamura does not disclose, "The energy conversion value  $\Delta X$  of a detuning amount, which is the difference between said oscillation wavelength and said absorption peak wavelength at room temperature, satisfies a condition  $40 \text{ meV} \leq \Delta X \leq 100 \text{ meV}$ ." Koren discloses, "The energy conversion value  $\Delta X$  of a detuning amount, which is the difference between said oscillation wavelength and said absorption peak wavelength at room temperature, satisfies a condition  $40 \text{ meV} \leq \Delta X \leq 100 \text{ meV}$ " (col. 9, lines 9-33). It would have been

Art Unit: 2828

obvious to one of ordinary skill in the art at the time of invention to combine the teachings of Tamura with the teachings of Koren. Detuning amounts presented as reasonable by Koren would have been suitable for use with the invention of Tamura. The selection of something based on its known suitability for its intended use has been held to support a prima facie case of obviousness. *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945).

11. The combination of Tamura and Koren does not disclose, "A feedback circuit which monitors an element temperature and which increases an offset voltage according to decreases in temperature." AAPA discloses, "A feedback circuit which monitors an element temperature and which increases an offset voltage according to decreases in temperature" (p. [0013]). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of the combination of Tamura and Koren with the teachings of AAPA. Temperature compensation as taught in applicant's admitted prior art would enhance the combination of Tamura and Koren by allowing a degree of temperature independence.

12. **Regarding claim 13**, the combination of Tamura, Koren, and AAPA does not disclose, "Wherein said prescribed bias voltage applied at a minimum operating temperature is 1 V or less." It would have been obvious to one of ordinary skill in the art at the time of invention to select the most preferable driving voltage, since it has been held that where the general conditions of a claim are disclosed in the prior art,

Art Unit: 2828

discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

13. **Regarding claim 14**, Tamura discloses, "Wherein said electroabsorption optical modulator has a pair of electrodes arranged on one surface of said high-resistance semiconductor material" (pg. 97, col. 2, last paragraph starting "A schematic diagram..."). "A prescribed bias voltage is applied to said electrodes" (pg. 97, col. 2, last paragraph starting "A schematic diagram..."). "Said pair of electrodes are a P-type electrode and an N-type electrode" (pg. 97, col. 2, last paragraph starting "A schematic diagram...").

14. The combination of Tamura, Koren, and AAPA does not disclose, "Said P-type electrode is a traveling-wave electrode." It would have been obvious to one of ordinary skill in the art at the time of invention to set desired traveling electrode as p-type, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416.

15. **Regarding claim 16**, Tamura discloses, "Wherein active layers of said semiconductor laser and said electroabsorption optical modulator are composed of layers buried by a semiconductor or a dielectric" (Fig. 2).



Art Unit: 2828

16. **Regarding claim 17**, the combination of Tamura, Koren, and AAPA does not disclose, "Wherein said buried layers are undoped layers." It would have been obvious to one of ordinary skill in the art at the time of invention to provide undoped barrier layers, since it was known in the art that barrier layers may be provided undoped.

17. **Regarding claim 18**, Tamura discloses, "Wherein quantum wells of an active layer of said semiconductor laser and quantum wells of an active layer of said electroabsorption optical modulator are joined by a butt joint" (pg. 97, col. 2, last paragraph starting "A schematic diagram...").

18. **Regarding claim 19**, Tamura discloses, "Wherein the quantum wells of said electroabsorption optical modulator are of a structure wherein an energy level of a conductive band of wells is higher than an energy level of a conductive band of the barriers" (pg. 97, col. 2, last paragraph starting "A schematic diagram..."). "An energy level of a valence band of the wells is higher than an energy level of a valence band of the barriers" (pg. 97, col. 2, last paragraph starting "A schematic diagram...").

19. **Regarding claim 20**, Tamura discloses, "Wherein aluminum is contained in a composition of the active layer of said electroabsorption optical modulator" (pg. 97, col. 2, last paragraph starting "A schematic diagram...").

Art Unit: 2828

20. **Regarding claim 22**, Tamura discloses, "In which a semiconductor laser and an electro absorption modulator are integrated on a high resistance substrate" (pg. 97, col. 2, last paragraph starting "A schematic diagram..."). "Wherein said electroabsorption optical modulator is of a configuration which satisfies the condition  $L \times B \geq 2000\mu\text{m} \cdot \text{Gb/s}$  where L is a length of said electroabsorption optical modulator and B is an operating frequency" (pg. 98, col. 1, second full paragraph starting "Figure 5 shows..."). Tamura does not disclose, "An absorption peak wavelength of said electroabsorption optical modulator is shorter than an oscillation wavelength of said semiconductor laser." "The energy conversion value  $\Delta X$  of a detuning amount, which is the difference between said oscillation wavelength and said absorption peak wavelength at room temperature, satisfies a condition  $40\text{meV} \leq \Delta X \leq 100\text{meV}$ ." Koren discloses, "An absorption peak wavelength of said electroabsorption optical modulator is shorter than an oscillation wavelength of said semiconductor laser" (col. 9, lines 9-33). "The energy conversion value  $\Delta X$  of a detuning amount, which is the difference between said oscillation wavelength and said absorption peak wavelength at room temperature, satisfies a condition  $40\text{meV} \leq \Delta X \leq 100\text{meV}$ " (col. 9, lines 9-33). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of Tamura with the teachings of Koren for the reasons provided above regarding claim 12.

21. The combination of Tamura and Koren does not disclose, "A feedback circuit which monitors an element temperature and which increases an offset voltage according to decreases in temperature." AAPA discloses, "A feedback circuit which monitors an element temperature and which increases an offset voltage according to

Art Unit: 2828

decreases in temperature" (p. [0013]). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of the combination of Tamura and Koren with the teachings of AAPA for the reasons provided above regarding claim 12.

22. The combination of Tamura, Koren, and AAPA does not disclose, "Said prescribed voltage applied at a minimum operating temperature is 1V or less." It would have been obvious to one of ordinary skill in the art at the time of invention to select the most preferable driving voltage, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

23. **Regarding claim 23**, the combination of Tamura, Koren, and AAPA does not disclose, "Wherein the modulator does not require a temperature control mechanism for keeping a temperature of the modulator uniform." It would have been obvious to one of ordinary skill in the art at the time of invention to omit a temperature control mechanism, since it has been held that omission of an element and its function in a combination where the remaining elements perform the same functions as before involves only routine skill in the art. *In re Karlson*, 136 USPQ 184.

24. **Regarding claim 24**, the combination of Tamura, Koren, and AAPA does not disclose, "Wherein an amplifier is unnecessary." It would have been obvious to one of ordinary skill in the art at the time of invention to not amplify the output light, since it was

Art Unit: 2828

known in the art that one may elect to not amplify the output of a laser device should the output achieved be deemed sufficient for the purpose to which the device is applied.

25. **Regarding claim 25**, the combination of Tamura, Koren, and AAPA does not disclose, "Wherein an amplifier is unnecessary." It would have been obvious to one of ordinary skill in the art at the time of invention to not amplify the output light, since it was known in the art that one may elect to not amplify the output of a laser device should the output achieved be deemed sufficient for the purpose to which the device is applied.

26. **Regarding claim 26**, Tamura discloses, "Wherein  $2000\mu\text{m} \cdot \text{Gb/s} \leq L \times B \leq 80000\mu\text{m} \cdot \text{Gb/s}$ " (pg. 98, col. 1, second full paragraph starting "Figure 5 shows...").

27. Claim 15 rejected under 35 U.S.C. 103(a) as being unpatentable over Tamura in view of Koren in view of AAPA and further in view of Kamioka et al. (Kamioka, JP Patent 2001-024289).

28. **Regarding claim 15**, the combination of Tamura, Koren, and AAPA does not disclose, "Wherein an active layer of said electroabsorption optical modulator has an undoped layer." "A thickness of said undoped layer gradually decreases with progression in a direction of progression of oscillation light from said semiconductor laser." Kamioka discloses, "Wherein an active layer of said electroabsorption optical modulator has an undoped layer" (abstract). "A thickness of said undoped layer

Art Unit: 2828

gradually decreases with progression in a direction of progression of oscillation light from said semiconductor laser" (abstract). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of the combination of Tamura, Koren, and AAPA with the teachings of Kamioka. Introduction of specific modulator design of Kamioka would enhance the teachings of Tamura and Koren by prolonging the lifetime of the modulator part.

### ***Conclusion***

29. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

30. A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

31. Any inquiry concerning this communication or earlier communications from the examiner should be directed to SEAN HAGAN whose telephone number is (571)270-1242. The examiner can normally be reached on Monday-Friday 7:30 - 5:00.

Art Unit: 2828

32. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Minsun O. Harvey can be reached on 571-272-1835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

33. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. H./

Examiner, Art Unit 2828

/Minsun Harvey/

Supervisory Patent Examiner, Art Unit 2828